


W1
WING
POLYFOAM/
DEPRON 5MM
2X MIRRORRED




W3
WING SPAR
PLYWOOD
3MM
2X MIRRORRED

W2
WING SPAR
PLYWOOD
3MM
4X MIRRORRED



W8
WING
POLYFOAM/
DEPRON 5MM
2X MIRRORRED




W5
WING SPAR
PLYWOOD
3MM
2X


W4
WING SPAR
PLYWOOD
3MM
2X

W6
WING SPAR
PLYWOOD
3MM
2X


W7
WING SPAR
PLYWOOD
3MM
2X




F13A
FUSELAGE FORMER
POLYFOAM/
DEPRON 5MM




F13B
FUSELAGE FORMER
POLYFOAM/
DEPRON 5MM




F5
FUSELAGE
POLYFOAM/
DEPRON 5MM
2X MIRRORRED




P1
FLCOT
POLYFOAM/
DEPRON 5MM



F14
MOTOR MOUNTING
PLYWOOD 3MM
2X




F6
FUSELAGE
POLYFOAM/
DEPRON 5MM
2X MIRRORRED




F4
FUSELAGE FORMER
PLYWOOD 3MM



F9
FUSELAGE
POLYFOAM/
DEPRON 5MM
2X MIRRORRED



F16
ENGINE COVER
PLYWOOD 3MM



F8A
FUSELAGE FORMER
PLYWOOD 3MM



Model : 48/2023

DHC-2 Beaver

2000mm

- Specs with wheel :**
1. Wingspan 2000mm / 79 inch
 2. Flying weight : 3000 grams/ 105.6 oz
 3. Wing loading : 59.9 gramm/cm² - 19.6 oz/sq.ft
 4. Wing cube loading : 6.5 (Between trainer & aerobatic)
 5. Wing Area : 50.05 cm² / 7.75 sq.in
 6. CG : 6 cm / 2.36 inch from Leading Edge










- Materials :**
1. 5mm Foamboard/ Depron/ Polyfoam
 2. 30mm Carbon Tubul/ Bamboo/ Wood Dowel 1 meter
 3. 0.3mm Mica Plastic
 4. hot glue, UHU glue, CA glue, PVA glue
 5. Packing tapes
 6. 3D Printed parts

- Build Instructions :**
1. paper-replika.com
 2. youtube channel : Julius Perdana

- Specs with floats :**
1. Wingspan 2000mm / 79 inch
 2. Flying weight : 3600 grams/ 127 oz
 3. Wing loading : 71.9 gramm/cm² - 23.6 oz/sq.ft
 4. Wing cube loading : 10.2 (Aerobatic)
 5. Wing Area : 50.05 cm² / 7.75 sq.in
 6. CG : 6 cm / 2.36 inch from Leading Edge

- Electronics for test (pusher prop)**
- T-Motor AT3520 Long Shaft (43 size motor)
 - Prop: 13x5.5 (2 blades)
 - 75A ESC
 - Battery Lipo 4S 2200mah
 - 4 x 9 gram servos (micro servo) + 2 for float version

- Transmitter**
- Jumper T16 + BetaFPV Express LRS TX module
 - 10 ch BetaFPV Express LRS RX



SERVIC ON
LEFT SIDE

